

Exhibit B to Accompany the Office Action Mailed on March 7, 2003

On the following pages are a copy of the initialed Information Disclosure Statement in U.S. Patent Application Serial No. 09/406,293, mailed with an Office Action dated February 28, 2001 (5 pages).

Exhibit B

Sub. For, PTO-1449

INFORMATION DISCLOSURE
IN AN APPLICATION

(Use several sheets if necessary)

Sheet 1 OF 5

| | | | |
|-------------|--|--|---|
| OCT 18 2000 | | Docket Number 103576.166 | Application Number 09/460,293- 09/460,293 |
| | | Applicant Chen, Zhijian H. | |
| | | Filing Date September 24, 1999 | Group Art Unit 1652 |
| | | TECH CENTER 1600/6 | |

| U.S. Patent Documents | | | | | | |
|-----------------------|-----------------|------|------|-------|----------|----------------------------|
| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |

| Foreign Patent Documents | | | | | | |
|--------------------------|-----------------|------|---------|-------|----------|--------------------|
| EXAMINER INITIAL | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION YES NO |

Other Documents (Including Author, Title, Date Pertinent Pages, Etc.)

| | | |
|---|-----|--|
| ✓ | A1 | Alkalay, et al., "In Vitro Stimulation of IκB Phosphorylation Is Not Sufficient to Activate NF-κB", <i>Mol. Cell. Biol.</i> , Vol. 15, No. 3, pp. 1294-1304 (1995) |
| ✓ | A2 | Alkalay, et al., "Stimulation-Dependent IκB-α Phosphorylation Marks the NF-κB Inhibitor for Degradation via the Ubiquitin-Proteasome Pathway" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, pp. 10599-10603 (1995) |
| ✓ | A3 | Arnason and Ellison, "Stress Resistance in <i>Saccharomyces cerevisiae</i> Is Strongly Correlated with Assembly of a Novel Type of Multiubiquitin Chain" <i>Mol. Cell. Biol.</i> , Vol. 14, No. 12, pp. 7876-7883 (1994) |
| ✓ | A4 | Auffray, et al., "IMAGE: Integrated Molecular Analysis of the Human Genome and Its Expression" <i>Sciences</i> , Vol. 318, pp. 263-272 (1995) |
| ✓ | A5 | Auphan et al., "Immunosuppression by Glucocorticoids: Inhibition of NF-κB Activity Through Induction of IκB Synthesis" <i>Science</i> , Vol. 270, pp. 286-290 (1995) |
| ✓ | A6 | Baeuerle and Henkel, "Function and Activation of NF-κB in the Immune System" <i>Annu. Rev. Immunol.</i> , Vol. 12, pp. 141-179 (1994) |
| ✓ | A7 | Baldi, et al., "Critical Role for Lysines 21 and 22 in Signal-Induced Ubiquitin-Mediated Proteolysis of IκB-α" <i>J. Biol. Chem.</i> , Vol. 271, No. 1, pp. 376-379 (1996) <i>31 Oct. 1997</i> |
| ✓ | A8 | Barroga et al., "Constitutive Phosphorylation of IκB-α by Casein Kinase II" <i>Proc. Natl. Acad. Sci.</i> , Vol. 92, pp. 7637-7641 (1995) |
| ✓ | A9 | Beg, et al., "Tumor Necrosis Factor and Interleukin-1 Lead to Phosphorylation and Loss of IκB-α: a Mechanism for NF-κB Activation." <i>Mol. Cell. Biol.</i> pp. 3301-3310 (1993) |
| ✓ | A10 | Belvin, et al., "Cactus Protein Degradation Mediates Drosophila Dorsal-Ventral Signaling" <i>Genes and Dev.</i> , Vol. 9, pp. 783-793 (1995) |
| ✓ | A11 | Blank, et al., "Molecular Cloning of Mitogen-activated Protein/ERK Kinase Kinases (MEKK) 2 and 3" <i>J. Biol. Chem.</i> , Vol. 271, No. 10, pp. 5361-5368 (1996) |
| ✓ | A12 | Brockman, J.A., "Coupling of a Signal Response Domain in IκB-α to Multiple Pathways for NF-κB Activation" <i>Mol. Cell. Biol.</i> , Vol. 15, No. 5 (1995), <i>2009-28/8</i> |
| ✓ | A13 | Brown, et al., "Control of IκB-α Proteolysis by Site-Specific, Signal-Induced Phosphorylation" <i>Science</i> , Vol. 267, pp. 1485-1488 (1995) |
| ✓ | A14 | Chau, "A Multiubiquitin Chain is Confined to Specific Lysine in a Targeted Short-Lived Protein" <i>Science</i> , Vol. 243, pp. 1576-1583 (1989) |

| | |
|--------------------------------|------------------------------------|
| EXAMINER <i>John Miller</i> | DATE CONSIDERED <i>10/27/01</i> |
|--------------------------------|------------------------------------|

EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant.

RECEIVED

JUL 11 2003

TECH CENTER 1600/6

RECEI

OCT 20 2001

TECH CENTER 1600/6

| | | | | | |
|--|---|----|---|---|--|
| Subt For, PTO-1449 | | | | Docket Number O 1103576.166 | Application Number 09/460,293 09/460,293 |
| INFORMATION DISCLOSURE IN AN APPLICATION (Use several sheets if necessary) | | | | Applicant OCT 18 2000 Chen, Zhijian H. | |
| Sheet | 2 | OF | 5 | Filing Date September 24, 1999 | Group Art Unit 1652 |

RECEIVED

JUL 11 2003

TECH CENTER 1600/2900

| | |
|-----|--|
| B1 | Chen, et al., "Multiple Ubiquitin-Conjugating Enzymes Participate in the In Vivo Degradation of the Yeast MATa2 Repressor" <i>Cell</i> , Vol. 74, pp. 357-369 (1993) |
| B2 | Chen, et al., "Signal-Induced Site-Specific Phosphorylation Targets IκB-α to the Ubiquitin-Proteasome Pathway" <i>Genes and Dev.</i> , Vol. 9, pp. 1586-1597 (1995) |
| B3 | Chen, et al., "Site-Specific Phosphorylation of IκB-α by a Novel Ubiquitination-Dependent Protein Kinase Activity" <i>Cell</i> , Vol. 84 (1996), 853-862 |
| B4 | Chen and Pickart, "A 25-Kilodalton Ubiquitin Carrier Protein (E2) Catalyzes Multi-ubiquitin Chain Synthesis via Lysine 48 of Ubiquitin" <i>J. Biol. Chem.</i> , Vol. 265, No. 35, pp. 21835-21842 (1990) |
| B5 | Choi, et al., "Ste5 Tethers Multiple Protein Kinases in the MAP Kinase Cascade Required for Mating in <i>S. cerevisiae</i> " <i>Cell</i> , Vol. 78, pp. 499-512 (1994) |
| B6 | Ciechanover. "The Ubiquitin-Proteasome Proteolytic Pathway" <i>Cell</i> , Vol. 79, pp. 13-21 (1994) |
| B7 | Derijard, et al., "Independent Human MAP Kinase Signal Transduction Pathways Defined by MEK and MKK Isoforms" <i>Science</i> , Vol. 267, pp. 682-685 (1995) |
| B8 | Derijard, et al., "JNK1: A Protein Kinase Stimulated by UV Light and Ha-Ras That Binds and Phosphorylates the c-Jun Activation Domain" <i>Cell</i> , Vol. 76, pp. 1025-1037 (1994) |
| B9 | Devary, et al., "NF-κB Activation by Ultraviolet Light Not Dependent on a Nuclear Signal" <i>Science</i> , Vol. 261, pp. 1442-1445 (1993) |
| B10 | Diaz-Meco. "ζPKC Induces Phosphorylation and Inactivation of I kappa B-alpha In Vitro" <i>EMBO J.</i> , Vol 13, No. 12, pp. 2842-2848 (1994) |
| B11 | DiDonato, et al., "Phosphorylation of IκBa Precedes but IS Not Sufficient for Its Dissociation from NF-κB" <i>Mol. cell. Biol.</i> , Vol. 15, No. 3, pp. 1302-1311 (1995) |
| B12 | Dominguez, et al., "Inhibition of Protein Kinase C ζ Subspecies Blocks the Activation of an NF-κB-like activity in Xenopus Laevis Oocytes" <i>Mol. Cell. Biol.</i> , Vol. 13, No. 2, pp. 1290-1295 (1993) |
| B13 | Finco, et al., "Inducible phosphorylation of IκBa is not sufficient for its dissociation from NF-κB and is inhibited by protease inhibitors" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, pp. 11884-11888 (1994) |
| B14 | Finco and Baldwin, "κB Site-Dependent Induction of Gene Expression by Diverse Inducers of Nuclear Factor κB Requires Raf-1", <i>J. Biol. Chem.</i> , Vol. 268, No. 24, pp. 17676-17679 (1993) |
| B15 | Finco and Baldwin, "Mechanistic Aspect of NF-κB Regulation: The Emerging Role of Phosphorylation and Proteolysis" <i>Immunity</i> , Vol. 3, pp. 263-272 (1995) |
| B16 | Francis and Corbin, "Structure and Function of Cyclic Nucleotide-dependent Protein Kinases" <i>Annu. Rev. Physiol.</i> , Vol. 56, pp. 237-72 (1994) |
| B17 | Ghosh and Baltimore, "Activation Invitro of NF-κB by Phosphorylation of its Inhibitor IκB" <i>Nature</i> , Vol. 344, pp. 678-682 (1990) |
| B18 | Goldberg, Alfred L., "Functions of the Proteasome: The Lysis at the End of the Tunnel" <i>Science</i> , Vol. 268, pp. 522-523 (1995) |

| | |
|-------------------------|----------------------------|
| EXAMINER <i>Chen</i> | DATE CONSIDERED 2/27/01 |
|-------------------------|----------------------------|

EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant.

Subt. For, PTO-1449

Docket Number

Application Number

O 103576.166

09/460,293

09/460,293

Applicant

OCT 18 2000

Chen, Zhijian H.

PATENT & TRADEMARK OFFICE

SEARCHED

SEP 25 2000

INDEXED

MAILED

SERIALIZED

FILED

RECEIVED

JULY 11 2003

TECH CENTER 1600/2900

INFORMATION DISCLOSURE
IN AN APPLICATION

(Use several sheets if necessary)

Sheet 3 OF 5

Filing Date
September 24, 1999

Group Art Unit

1652

RECEIVED

| | | |
|--|-----|---|
| | C1 | Gupta, et al., "Transcription Factor ATF2 Regulation by the JNK Signal Transduction Pathway" <i>Science</i> , Vol. 267, pp. 389-393 (1995) |
| | C2 | Haskill, et al., "Characterization of an Immediate-Early Gene Induced in Adherent Monocytes that Encodes IκB-like Activity" <i>Cell</i> , Vol. 65, pp. 1281-1289 (1991) |
| | C3 | Henkel, et al., "Rapid Proteolysis of IκB-α is Necessary for Activation of Transcription Factor NF-κB" <i>Nature</i> , Vol. 365, pp. 182-185 (1993) |
| | C4 | Hershko and Heller, "Occurrence of a Polyubiquitin Structure in Ubiquitin-Protein Conjugates" <i>Biochem. Biophys. Res. Commun.</i> , Vol. 128, No. 3, pp. 1079-1086 (1985) |
| | C5 | Hershko and Ciechanover, "The Ubiquitin System for Protein Degradation" <i>Annu. Rev. Biochem.</i> , Vol. 61, pp. 761-807 (1992) |
| | C6 | Hibi, et al., "Identification of an oncprotein- and UV-responsive protein kinase that binds and potentiates the c-Jun activation domain" <i>Genes and Dev.</i> , Vol. 7, pp. 2135-2148 (1993) |
| | C7 | Higgins, et al., "Antisense inhibition of the p65 subunit of NF-κB blocks tumorigenicity and causes tumor regression" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 90, pp. 9901-9905 (1993) |
| | C8 | Hirano, et al., "MEK Kinase Is Involved in Tumor Necrosis Factor α-Induced NF-κB Activation and Degradation of IκB-α" <i>J. Biol. Chem.</i> , Vol. 271, No. 22, pp. 13234-13238 (1996) |
| | C9 | Kumar, A., et al., "Double-Stranded RNA-Dependent Protein Kinase Activates Transcription Factor NF-κB by Phosphorylating IκB" <i>Proc. Natl. Acad. Sci. USA</i> Vol. 91, pp. 6288-6292 (1994) |
| | C10 | Kuno, et al., "Identification of an IκB-α - Associated Protein Kinase in a Human Monocytic Cell Line and Determination of its Phosphorylation Sites on IκB-α" <i>Biol. Chem.</i> Vol. 270, No. 46, pp. 27914-27919 (1995) |
| | C11 | Lange-Carter, et al., "A Divergence in the MAP Kinase Regulatory Network Defined by MEK Kinase and Raf" <i>Science</i> , Vol. 260, pp. 315-319 (1993) |
| | C12 | Li and Sedivy "Raf-1 Protein Kinase Activates the NF-κB Transcription Factor By Disassociating the Cytoplasmic NF-κB-IκB complex" <i>Proc Natl Acad Sci USA</i> , Vol. 90, pp. 9247-9251 (1993) |
| | C13 | Lin, et al., "Activation of NF-κB requires proteolysis of the inhibitor IκB-α: Signal-induced phosphorylation of IκB-α alone does not release active NF-κB" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 92, pp. 552-556, (1995) |
| | C14 | Lin and Desiderio, "Regulation of V(D)J Recombination Activator Protein RAG-2 by Phosphorylation" <i>Science</i> , Vol. 260, pp. 953-959 (1993) |
| | C15 | Mellits, et al., "Proteolytic degradation of MAD3 (IκBα) and enhanced processing of the NF-κB precursor p105 are obligatory steps in the activation of NF-κB" <i>Nucl. Acid. Res.</i> , Vol. 21, No. 22, pp. 5059-5066 (1993) |
| | C16 | Miyamoto, et al., "Tumor necrosis factor α-induced phosphorylation of IκBα is a signal for its degradation but not dissociation from NF-κB" <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, pp. 12740-12744 (1994) |

EXAMINER

W. Patterson

DATE CONSIDERED

2/27/01

EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant.

| | | | | | |
|---|--|---|----|---|--|
| Subt. For, PTO-1449 | | | | Docket Number O 103576.166 | Application Number 09/460,293 09/606,767 |
| INFORMATION DISCLOSURE IN AN APPLICATION <i>(Use several sheets if necessary)</i> | | | | Applicant OCT 18 2000 Chen, Zhijian H. | |
| | | | | Filing Date Sep 24, 1999 | Group Art Unit 1652 |
| Sheet | | 4 | OF | 5 | RECEIVED |

| | | |
|---|-----|---|
| ✓ | D1 | Nishizawa, M., et al., "Degradation of MOS by the N-terminal Proline (Pro2)-Dependent Ubiquitin Pathway on Fertilization of Xenopus Eggs: Possible Significance of Natural Selection for Pro2 in MOS" <i>EMBO J.</i> , Vol. 12, No. 10, pp. 4021-4027 (1993) |
| ✓ | D2 | Palombella, et al., "The Ubiquitin-Proteasome Pathway is Required For Processing the NF- κ B1 Precursor Protein and the Activation of NF- κ B" <i>Cell</i> , Vol. 78, pp. 773-785 (1994) |
| ✓ | D3 | Pawlak, et al., "Characterization of a Large Population of mRNAs From Human Testis" <i>Genomics</i> , Vol. 26, pp. 151-158 (1995) |
| ✓ | D4 | Pickart and Rose, " Functional Heterogeneity of Ubiquitin Carrier Proteins" <i>J. Biol. Chem.</i> , Vol. 260, No. 3, pp. 1573-1581 (1985) |
| ✓ | D5 | Read, et al., "The Proteasome Pathway Is Required for Cytokine-Induced Endothelial-Leukocyte Adhesion Molecule Expression" <i>Immunity</i> , Vol. 2, pp. 493-506 (1995) |
| ✓ | D6 | Rodriguez, M.S., et al, "Inducible Degradation of I κ B α in Vitro and in Vivo Requires the Acidic C-Terminal Domain of the Protein" <i>Mol. Cell. Biol.</i> , Vol. 15(5), pp. 2413-2419 (1995) |
| ✓ | D7 | Scherer, et al., "Signal-Induced Degradation of I κ B α requires site-specific Ubiquitination" <i>Natl. Acad. Sci. USA.</i> , Vol. 92, pp. 11269-11263 (1995) |
| ✓ | D8 | Schreck, et al., "Reactive Oxygen Intermediates as Apparently Widely Used Messengers in the Activation of the NF- κ B Transcription Factor and HIV-1" <i>EMBO J.</i> , Vol. 10 No. 8, pp. 2247-2258 (1991) |
| ✓ | D9 | Schutze, et al., "TNF Activates NF- κ B by Phosphatidylcholine-Specific Phospholipase C-Induced "Acidic" Sphingomyelin Breakdown" <i>Cell</i> , Vol. 71 pp.765 -777 |
| ✓ | D10 | Siebenlist, et al., "Structure, Regulation and Function of NF- κ B" <i>Annu. Rev. Cell Biol.</i> , Vol. 10, pp. 405-455 (1994) |
| ✓ | D11 | Sun, et al., "NF- κ B Controls Expression of Inhibitor I κ B α : Evidence For An Inducible Autoregulatory Pathway", <i>Science</i> , Vol. 259, pp. 1912-1915 (1993) |
| ✓ | D12 | Thanos and Maniatis, "NF- κ B: A Lesson in Family Values" <i>Cell</i> , Vol. 80, pp. 529-532 (1995) |
| ✓ | D13 | Thévenin, et al., "Induction of Nuclear Factor- κ B and the Human Immunodeficiency Virus Long Terminal Repeat by Okadaic Acid, A Specific Inhibitor of Phosphatases 1 and 2A" <i>New Biol.</i> , Vol. 2, pp. 793-800 (1990) |
| ✓ | D14 | Traenckner et al., "A Proteasome Inhibitor Prevents Activation of KF- κ B and Stabilizes a Newly Phosphorylated Form of I κ B α That is Still Bound to NF- κ B" <i>EMBO J.</i> , Vol. 13, pp.5433-5441 (1994) |
| ✓ | D15 | Traenckner, E.B.-M.,et al, "Phosphorylation of Human I κ B α on Serines 32 and 36 Controls I κ B α Proteolysis and NF- κ B Activation in Response to Diverse Stimuli" " <i>EMBO J.</i> , Vol. 14, No. 12, pp. 2876-2883 (1995) |
| ✓ | D16 | Verma, et al., "Rel/NF- κ B/I κ B Family: Intimate Tales of Association and Disassociation" <i>Genes and Dev.</i> , Vol. 9 pp. 2723-2735 (1995) |
| ✓ | D17 | Wasserman, "A Conserved Signal Transduction Pathway Regulating the Activity of the Rel-Like Proteins Dorsal and NF- κ B" <i>Mol. Biol. Cell.</i> , Vol. 4, pp. 767-771 (1993) |

| | |
|--|-----------------------------------|
| EXAMINER <i>C. MacLean</i> | DATE CONSIDERED <i>2/27/01</i> |
| EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant. | |

JUL 11 2003

TECH CENTER 1600/2900

| | | | | | |
|---|---|----|---|---|--|
| Subt. For, PTO-1449 | | | | Docket Number 0103576.166 | Application Number 09/460,293 <i>0103576.166</i> |
| INFORMATION DISCLOSURE IN AN APPLICATION <i>(Use several sheets if necessary)</i> | | | | Applicant OCT 18 2000 Chen, Zhiyan H. | |
| Sheet | 5 | OF | 5 | Filing Date September 24, 1999 | Group Art Unit 1652 |

| | | |
|-------------------|----|--|
| <i>[scribble]</i> | E1 | Whiteside , et al., "N- and C- Terminal Sequences Control Degradation of MAD3/IkB- α in Response to Inducers of NF- κ B Activity" <i>Mol. Cell. Biol.</i> , Vol. 15 , No. 10, pp. 5339-5345 (1995) |
| <i>[scribble]</i> | E2 | Yaglom, et al., " p34Cdc28-Mediated Control of Cln3 Cyclin Degradation" <i>Mol. Cell. Biol.</i> , Vol. 15, No. 2, pp. 731-741 (1995) |
| <i>[scribble]</i> | E3 | Yang, et al., "Deficient signalling in mice devoid of double-stranded RNA-dependent Protein kinase" <i>EMBO J.</i> , Vol. 14, No. 24, pp. 6095-6106 (1995) |
| <i>[scribble]</i> | E4 | EMBL Database entry Hs369288, Accession Number N56369, from International Search Report, International Application No. PCT/US97/04195 <i>(1996)</i> |
| <i>[scribble]</i> | E5 | EMBL Database entry Hs2038, Accession Number T19203, from International Search Report, International Application No. PCT/US97/04195 <i>(1994)</i> |

anthony w. sutton - z:NegaN103576.1661449.doc

RECEIVED

JUL 11 2003

TFCCH CENTER 1600/2900

| | |
|--|-----------------------------------|
| EXAMINER <i>C. Radcliff</i> | DATE CONSIDERED <i>2/27/01</i> |
| EXAMINER: Initial if citation is considered, whether or not citation is in conformance with MPEP § 609: Draw Line through citation if not conformance and not considered. Include copy with next communication to applicant. | |